



# SAM<sup>®</sup>

HOME OF MDF MOULDINGS

## STOCK LISTING

Over 250 profiles available


ISSUE 2

## Fast track delivery – over 250 profiles always available.

SAM has created an extensive stock range based on customer needs and our knowledge of the market.

When you order SAM Stock products, you can be confident they will always be available and will be delivered to you quickly.

We understand time is of the essence, which is why we have included our full stock range in this listing. For our extended range of products please see the main catalogue (QR code on back page).



### Skirting & Architrave

#### SAM23

Pencil Round One Edge

Radius: 6mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	44	2.1	Primed	440	110	50
14.5	44	4.2	Primed	330	88	50
14.5	44	4.2	Fully Finished	352	88	88
14.5	69	4.2	Primed	252	84	42
14.5	94	4.2	Primed	220	55	30
14.5	94	4.2	Fully Finished	220	55	55
14.5	119	4.2	Primed	180	36	20
18	44	4.2	Primed	330	110	50
18	69	4.2	Primed	252	84	42
18	94	4.2	Primed	220	55	30
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16
12	44	5.49	Primed	330	110	50
12	94	5.49	Primed	264	132	36
14.5	44	5.49	Primed	330	110	50
14.5	57	5.49	Primed	324	108	54
14.5	69	5.49	Primed	252	84	42
14.5	94	5.49	Primed	220	55	30
14.5	119	5.49	Primed	180	72	20
14.5	144	5.49	Primed	140	56	16
18	44	5.49	Primed	330	110	50
18	57	5.49	Primed	324	108	54
18	69	5.49	Primed	252	84	42
18	94	5.49	Primed	220	55	30
18	119	5.49	Primed	180	36	20
18	144	5.49	Primed	140	28	16

#### SAM24

Pencil Round Two Edge

Radius: 6mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	44	4.2	Primed	330	110	50
14.5	69	4.2	Primed	252	84	42
12	44	5.49	Primed	330	110	50
12	69	5.49	Primed	252	84	42
14.5	69	5.49	Primed	252	84	42
18	57	5.49	Primed	324	108	54



**SAM01**

Square Edge




THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	94	4.2	Primed	220	55	30
14.5	119	4.2	Primed	180	72	20
12	97	5.49	Primed	264	132	36
14.5	94	5.49	Primed	220	55	30
14.5	100	5.49	Primed	200	100	30
14.5	119	5.49	Primed	180	72	20
14.5	144	5.49	Primed	140	56	16
18	44	5.49	Primed	330	110	50
18	69	5.49	Primed	252	84	42
18	94	5.49	Primed	220	55	30
18	100	5.49	Primed	200	100	30
18	119	5.49	Primed	180	36	20
18	144	5.49	Primed	140	28	16

**SAM04**

Square Edge

Radius: 1.5mm




THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	2.1	Primed	280	140	42
18	94	2.4	Primed	220	55	55
14.5	44	4.2	Primed	330	110	50
14.5	69	4.2	Primed	252	84	42
18	44	4.2	Primed	330	110	50
18	69	4.2	Primed	252	84	42
18	94	4.2	Primed	220	55	30
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16
12	32	5.49	Primed	640	160	80
12	44	5.49	Primed	330	110	50
12	69	5.49	Primed	252	84	42
12	97	5.49	Primed	264	132	36
14.5	69	5.49	Primed	252	84	42
14.5	94	5.49	Primed	220	55	30
14.5	144	5.49	Primed	140	56	16
18	44	5.49	Primed	330	110	50
18	69	5.49	Primed	252	84	42

**SAM09**

Torus

Moulded width: 32mm



THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	2.1	Primed	280	140	42
14.5	69	4.2	Primed	252	84	42
14.5	94	4.2	Primed	220	55	30
18	57	4.2	Primed	324	108	54
18	69	4.2	Primed	252	84	42
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16
18	169	4.2	Primed	72	36	9
14.5	57	5.49	Primed	324	108	54
14.5	69	5.49	Primed	252	84	42
14.5	94	5.49	Primed	220	55	30
14.5	119	5.49	Primed	180	72	20
14.5	194	5.49	Primed	60	30	5
18	69	5.49	Primed	252	84	42
18	119	5.49	Primed	180	36	20
18	144	5.49	Primed	140	28	16

**SAM3166**

Torus

Moulded width: 33mm



THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	2.1	Fully Finished	280	140	140
18	119	4.2	Fully Finished	180	36	36
18	144	4.2	Fully Finished	140	28	28
18	169	4.2	Fully Finished	72	36	36

**SAM93**

Ogee

Moulded width: 45mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	2.1	Primed	280	140	42
18	57	4.2	Primed	324	108	54
18	69	4.2	Primed	252	84	42
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16
18	169	4.2	Primed	72	36	9
14.5	69	5.49	Primed	252	84	42
14.5	94	5.49	Primed	220	55	30
14.5	144	5.49	Primed	140	56	16
18	69	5.49	Primed	252	84	42
18	94	5.49	Primed	220	55	30
18	119	5.49	Primed	180	36	20
18	144	5.49	Primed	140	28	16
18	169	5.49	Primed	72	36	9

**SAM90**

Ogee

Moulded width: 37mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	2.1	Fully Finished	280	140	140
18	144	4.2	Fully Finished	140	28	28
18	169	4.2	Fully Finished	72	36	36

**SAM15**

Ogee

Moulded width: 42mm


THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	69	4.2	Primed	252	84	42
14.5	94	4.2	Primed	220	55	30
14.5	119	4.2	Primed	180	72	20
14.5	144	4.2	Primed	140	56	16

**SAM97**

Ogee

Moulded width: 26mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	69	5.49	Primed	252	84	42
14.5	144	5.49	Primed	140	56	16

**SAM98**

Ogee &amp; Bead

Moulded width: 26mm / Bead width: 14mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	69	5.49	Primed	252	84	42
14.5	94	5.49	Primed	220	55	30

**Ordering samples**

We understand that it is important for some of your customers to see a physical sample of the product before placing an order. For this reason, we keep all our stock profiles (in at least one size) in the sample store to ensure quick delivery.

You can order samples on the SAM website or by emailing [marketing@samonline.co.uk](mailto:marketing@samonline.co.uk).

**Placing an order**

Once a trade account has been created for your company, you can order SAM products using a valid purchase order number.

Please send any orders to [orders@samonline.co.uk](mailto:orders@samonline.co.uk) and our internal sales team will process these as quickly as possible.

**SAM22**

Chamfer &amp; Round

Chamfer width: 32mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	44	4.2	Primed	330	110	50
14.5	69	4.2	Primed	252	84	42
14.5	94	4.2	Primed	220	55	30
14.5	119	4.2	Primed	180	72	20
18	69	4.2	Primed	252	84	42
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16
14.5	69	5.49	Primed	252	84	42
14.5	94	5.49	Primed	220	55	30
14.5	119	5.49	Primed	180	72	20
14.5	144	5.49	Primed	140	56	16
18	69	5.49	Primed	252	84	42
18	94	5.49	Primed	220	55	30
18	119	5.49	Primed	180	36	20
18	144	5.49	Primed	140	28	16
18	169	5.49	Primed	72	36	9

**SAM26**

Chamfer &amp; Round

Chamfer width: 38mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	5.49	Primed	252	84	42
18	94	5.49	Primed	220	55	30
18	119	5.49	Primed	180	36	20
18	144	5.49	Primed	140	28	16

**SAM1959**

Chamfer &amp; Round

Moulded width: 23mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	2.1	Fully Finished	280	140	140
18	144	4.2	Fully Finished	140	28	28
18	169	4.2	Fully Finished	72	36	36

**SAM5061**

Chamfered

Chamfer dimensions (mm): 6 x 6

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	4.2	Primed	252	84	42
18	94	4.2	Primed	220	55	30
18	119	4.2	Primed	180	36	20

**SAM5062**

Chamfered

Chamfer dimensions (mm): 10 x 10

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	4.2	Primed	252	84	42
18	94	4.2	Primed	220	55	30
18	119	4.2	Primed	180	36	20

**SAM5059**

Single Groove

Groove dimensions (mm): 5 x 5 (20mm from edge)

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	69	4.2	Primed	252	84	42
18	69	4.2	Primed	252	84	42
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16

**SAM5060**

Single Groove

Groove dimensions (mm): 15 x 5 (20 mm from edge)

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	4.2	Primed	252	84	42
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16

**SAM27**

Ovolo

Moulded width: 35mm




THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	57	4.2	Primed	324	108	54
14.5	69	4.2	Primed	252	84	42
14.5	94	4.2	Primed	220	55	30
14.5	119	4.2	Primed	180	72	20
14.5	144	4.2	Primed	140	56	16
18	57	4.2	Primed	324	108	54
18	69	4.2	Primed	252	84	42
18	69	4.2	Fully Finished	252	84	84
18	119	4.2	Primed	180	36	20
18	119	4.2	Fully Finished	180	36	36
18	144	4.2	Fully Finished	140	28	28
18	169	4.2	Fully Finished	72	36	36
14.5	57	5.49	Primed	324	108	54
14.5	94	5.49	Primed	220	55	30
14.5	119	5.49	Primed	180	72	20

**SAM20**

Bullnose

Radius: 10mm



THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	44	2.1	Primed	330	110	50
14.5	69	4.2	Primed	252	84	42
14.5	94	4.2	Primed	220	55	30

**SAM29**

Bullnose

Radius: 20mm




THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	44	2.1	Primed	330	110	50
14.5	44	4.2	Primed	330	110	50
14.5	69	4.2	Primed	252	84	42
14.5	94	4.2	Primed	220	55	30
18	69	4.2	Primed	252	84	42
18	119	4.2	Primed	180	36	20

**SAM1855**

Bullnose

Radius: 17mm



THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	2.1	Fully Finished	280	140	140
18	144	4.2	Fully Finished	140	28	28
18	169	4.2	Fully Finished	72	36	36

**SAM4288**

Round &amp; V-Groove

Radius: 2mm / V-Groove dimensions (mm): (w)3 x (d)3



THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	69	4.2	Primed	252	84	42
14.5	119	4.2	Primed	180	72	20
18	69	4.2	Primed	252	84	42
18	144	4.2	Primed	140	28	16

**SAM2975**

Chamfer &amp; Single V-Groove

Chamfer dimensions (mm): 5 x 5

V-Groove dimensions (mm): (w)6 x (d)3

SAM2984 is the skirting board

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	94	5.49	Primed	220	55	30
18	69	5.49	Primed	252	84	42

**SAM2984**

Chamfer &amp; Double V-Groove

Chamfer dimensions (mm): 5 x 5

V-Groove dimensions (mm): (w)6 x (d)3

SAM2975 is the architrave

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	119	5.49	Primed	180	72	20

**SAM28**

Lambs Tongue

Moulded width: 34mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	4.2	Primed	252	84	42
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16

**SAM10**

Moulded

Moulded width: 45mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	5.49	Primed	252	84	42
18	94	5.49	Primed	220	55	30
18	119	5.49	Primed	180	36	20
18	144	5.49	Primed	140	28	16

**SAM5219**

Chamfer Stepped

Moulded width: 50mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
22	69	5.49	Primed	224	56	56
22	144	5.49	Primed	84	28	28

**SAM4887**

Edwardian

Moulded width: 51.5mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	94	5.49	Primed	220	55	30
18	144	5.49	Primed	140	28	16

**SAM3518**

Georgian

Moulded width: 48mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	94	4.4	Primed	220	55	30
18	144	4.2	Primed	140	28	16

**SAM3525**

Victorian

Moulded width: 93.5mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	100	4.2	Primed	200	100	30

**SAM3526**

Victorian

Moulded with: 110mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	180	4.2	Primed	60	30	30

**SAM502**

Hockey Stick

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	32	5.49	Primed	396	132	132

**Dual Purpose Skirting**

Architrave options are shown previously

**SAM2156**

Dual Purpose: Torus (SAM09) / Ogee (SAM93)

Moulded width: 32mm / Moulded length: 45mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16
18	169	4.2	Primed	72	36	9
18	219	4.2	Primed	60	20	5
18	244	4.2	Primed	48	20	4

**SAM2285**

Dual Purpose: Chamfer &amp; Round (SAM22) / Pencil Round (SAM23)

Chamfer width: 32mm / Radius: 6mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16

**SAM2574**

Dual Purpose: Chamfer &amp; Round (SAM22) / Pencil Round (SAM23)

Chamfer width: 32mm / Radius: 6mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	94	4.2	Primed	220	55	30
14.5	144	4.2	Primed	140	56	16

**SAM5378**

Dual Purpose: Ovolo (SAM27) / Round &amp; V-Groove (SAM4288)

Moulded width: 35mm / Radius: 2mm &amp; V-Groove dimensions (mm): (w)3 x (d)3

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	119	4.2	Primed	180	36	20

**SAM5379**

Dual Purpose: Grooved (SAM5059) / Round &amp; V-Groove (SAM4288)

Groove dimensions (mm): 5 x 5 (20mm from edge) / Radius:

2mm &amp; V-Groove dimensions (mm): (w)3 x (d)3

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	94	4.2	Primed	220	55	30
14.5	119	4.2	Primed	180	36	20
14.5	144	4.2	Primed	140	56	16
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16



**SAM5381**

Dual Purpose: Pencil Round (SAM23) / Ovolo (SAM27)

Radius: 6mm / Moulded width: 35mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	94	4.2	Primed	220	55	30
14.5	119	4.2	Primed	180	36	20

**SAM5383**

Dual Purpose: Square Edge (SAM04) / Grooved (SAM5059)

Radius: 1.5mm / Groove dimensions (mm): 5 x 5 (20mm from edge)

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16

**SAM5439**

Dual Purpose: Ogee (SAM93) / Ogee (SAM97)

Moulded width: 44mm / Moulded width: 26mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	94	5.49	Primed	220	55	30
14.5	119	5.49	Primed	180	72	20
14.5	144	5.49	Primed	140	56	16

**SAM5440**

Dual Purpose: Torus (SAM09) / Chamfer &amp; Round (SAM22)

Moulded width: 32mm / Chamfer width: 32mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	94	4.2	Primed	220	55	30
14.5	119	4.2	Primed	180	36	20
14.5	144	4.2	Primed	140	56	16

**SAM5441**

Dual Purpose: Ovolo (SAM27) / Bullnose (SAM29)

Moulded width: 35mm / Radius: 20mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	94	4.2	Primed	220	55	30
14.5	119	4.2	Primed	180	36	20
14.5	144	4.2	Primed	140	56	16

**SAM5442**

Dual Purpose: Chamfer (SAM5061) / Chamfer &amp; Round (SAM22)

Chamfer width: 6mm / Chamfer width: 32mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	94	4.2	Primed	220	55	30
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16

**SAM5443**

Dual Purpose: Square Edge (SAM04) / Pencil Round (SAM23)

Radius: 1.5mm / Radius: 5mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
12	94	5.49	Primed	264	72	36
14.5	94	4.2	Primed	220	55	30
14.5	119	4.2	Primed	180	36	20
14.5	144	4.2	Primed	140	56	16
18	94	4.2	Primed	220	55	30
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16

## Internal Cladding & Panelling

### SAM3012

Tongue &amp; Groove

TG&amp;V

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
12	94	0.9	Fully Finished	396	198	198
9	94	2.44	Fully Finished	264	132	132
9	144	2.44	Fully Finished	168	84	84

### SAM01

Square Edge

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
12	97	5.49	Primed	264	132	36
14.5	94	5.49	Primed	220	55	30

### SAM04

Square Edge

Radius: 1.5mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
12	32	5.49	Primed	640	160	80
12	44	5.49	Primed	330	110	50
12	69	5.49	Primed	252	84	42
12	97	5.49	Primed	264	132	36
14.5	69	5.49	Primed	252	84	42
14.5	94	5.49	Primed	220	55	30

## Window Board

### SAM50

Window Board

Bullnosed &amp; Rebated

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	194	5.49	Primed	60	20	5
18	219	5.49	Primed	60	20	5
18	244	5.49	Primed	48	20	4

### SAM52

Window Board

Bullnosed &amp; Rebated

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
25	194	3.66	Primed	40	10	5
25	219	3.66	Primed	40	10	5
25	244	3.66	Primed	40	8	4
25	269	3.66	Primed	40	8	4
25	294	3.66	Primed	40	8	4
25	194	5.49	Primed	40	20	5
25	219	5.49	Primed	40	10	5
25	244	5.49	Primed	40	12	4
25	269	5.49	Primed	40	12	4
25	294	5.49	Primed	40	12	4

### SAM53

Extra Wide Window Board

Bullnosed

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
25	345	3.66	Primed	36	18	9
25	394	3.66	Primed	36	18	9

## Door linings & stops



### **SAM04 (Set)**

Square Edge adjustable door lining set

2 legs and adjustable head supplied with door stops to suit

Suitable for all standard door sizes

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
25	108	—	Primed	54	18	5
25	132	—	Primed	48	16	4

### **SAM04 (Lining)**

Square Edge door lining

Radius: 1.5mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
25	94	2.1	Primed	176	44	10
25	155	2.1	Primed	72	24	8

### **SAM04 (Stop)**

Square Edge door stop

Radius: 1.5mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
12	32	5.49	Primed	640	160	80
12	44	5.49	Primed	330	110	110
12	97	5.49	Primed	264	132	36



## Decorative Mouldings

### **SAM3031**



Cornice

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	115	5.49	Primed	180	36	36

### **SAM3770**

Cornice

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
12	77	5.49	Primed	216	72	72



## SAM MDF mouldings imperial to metric conversion chart

NOMINAL IMPERIAL	SAM FINISHED SIZE METRIC
2 inches	44mm
2 <sup>1</sup> / <sub>4</sub> inches	57mm
3 inches	69mm
4 inches	94mm
5 inches	119mm
6 inches	144mm
7 inches	169mm
8 inches	194mm
9 inches	219mm
10 inches	244mm
11 inches	269mm
12 inches	294mm

# SAM<sup>®</sup>

HOME OF MDF MOULDINGS



Scan the QR code  
to view digital copies  
of our brochures



T: +44 (0)28 9442 8288  
SAMMOULDINGS.CO.UK