



SAM[®]

HOME OF MDF MOULDINGS

STOCK LISTING

Over 250 profiles available
ISSUE 2

SAMMOULDINGS.CO.UK

Fast track delivery –
over 250 profiles always available.

SAM has created an extensive stock range based on customer needs and our knowledge of the market.

When you order SAM Stock products, you can be confident they will always be available and will be delivered to you quickly.

We understand time is of the essence, which is why we have included our full stock range in this listing. For our extended range of products please see the main catalogue (QR code on back page).



Skirting & Architrave



Skirting & Architrave

SAM23
Pencil Round One Edge
Radius: 6mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	44	2.1	Primed	440	110	50
14.5	44	4.2	Primed	330	110	50
14.5	44	4.2	Fully Finished	352	88	88
14.5	69	4.2	Primed	252	84	42
14.5	94	4.2	Primed	220	55	30
14.5	94	4.2	Fully Finished	220	55	55
14.5	119	4.2	Primed	180	36	20
18	44	4.2	Primed	330	110	50
18	69	4.2	Primed	252	84	42
18	94	4.2	Primed	220	55	30
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16
12	44	5.49	Primed	330	110	50
12	94	5.49	Primed	264	132	36
14.5	44	5.49	Primed	330	110	50
14.5	57	5.49	Primed	324	108	54
14.5	69	5.49	Primed	252	84	42
14.5	94	5.49	Primed	220	55	30
14.5	119	5.49	Primed	180	72	20
14.5	144	5.49	Primed	140	56	16
18	44	5.49	Primed	330	110	50
18	57	5.49	Primed	324	108	54
18	69	5.49	Primed	252	84	42
18	94	5.49	Primed	220	55	30
18	119	5.49	Primed	180	36	20
18	144	5.49	Primed	140	28	16



SAM24
Pencil Round Two Edge
Radius: 6mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	44	4.2	Primed	330	110	50
14.5	69	4.2	Primed	252	84	42
12	44	5.49	Primed	330	110	50
12	69	5.49	Primed	252	84	42
14.5	69	5.49	Primed	252	84	42
18	57	5.49	Primed	324	108	54

SAM01
Square Edge

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	94	4.2	Primed	220	55	30
14.5	119	4.2	Primed	180	72	20
12	97	5.49	Primed	264	132	36
14.5	94	5.49	Primed	220	55	30
14.5	100	5.49	Primed	200	100	30
14.5	119	5.49	Primed	180	72	20
14.5	144	5.49	Primed	140	56	16
18	44	5.49	Primed	330	110	50
18	69	5.49	Primed	252	84	42
18	94	5.49	Primed	220	55	30
18	100	5.49	Primed	200	100	30
18	119	5.49	Primed	180	36	20
18	144	5.49	Primed	140	28	16

SAM04
Square Edge
Radius: 1.5mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	2.1	Primed	280	140	42
18	94	2.4	Primed	220	55	55
14.5	44	4.2	Primed	330	110	50
14.5	69	4.2	Primed	252	84	42
18	44	4.2	Primed	330	110	50
18	69	4.2	Primed	252	84	42
18	94	4.2	Primed	220	55	30
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16
12	32	5.49	Primed	640	160	80
12	44	5.49	Primed	330	110	50
12	69	5.49	Primed	252	84	42
12	97	5.49	Primed	264	132	36
14.5	69	5.49	Primed	252	84	42
14.5	94	5.49	Primed	220	55	30
14.5	144	5.49	Primed	140	56	16
18	44	5.49	Primed	330	110	50
18	69	5.49	Primed	252	84	42

SAM09
Torus
Moulded width: 32mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	2.1	Primed	280	140	42
14.5	69	4.2	Primed	252	84	42
14.5	94	4.2	Primed	220	55	30
18	57	4.2	Primed	324	108	54
18	69	4.2	Primed	252	84	42
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16
18	169	4.2	Primed	72	36	9
14.5	57	5.49	Primed	324	108	54
14.5	69	5.49	Primed	252	84	42
14.5	94	5.49	Primed	220	55	30
14.5	119	5.49	Primed	180	72	20
14.5	194	5.49	Primed	60	30	5
18	69	5.49	Primed	252	84	42
18	119	5.49	Primed	180	36	20
18	144	5.49	Primed	140	28	16

SAM3166
Torus
Moulded width: 33mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	2.1	Fully Finished	280	140	140
18	119	4.2	Fully Finished	180	36	36
18	144	4.2	Fully Finished	140	28	28
18	169	4.2	Fully Finished	72	36	36



SAM93

Ogee
Moulded width: 45mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	2.1	Primed	280	140	42
18	57	4.2	Primed	324	108	54
18	69	4.2	Primed	252	84	42
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16
18	169	4.2	Primed	72	36	9
14.5	69	5.49	Primed	252	84	42
14.5	94	5.49	Primed	220	55	30
14.5	144	5.49	Primed	140	56	16
18	69	5.49	Primed	252	84	42
18	94	5.49	Primed	220	55	30
18	119	5.49	Primed	180	36	20
18	144	5.49	Primed	140	28	16
18	169	5.49	Primed	72	36	9



SAM90

Ogee
Moulded width: 37mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	2.1	Fully Finished	280	140	140
18	144	4.2	Fully Finished	140	28	28
18	169	4.2	Fully Finished	72	36	36



SAM15

Ogee
Moulded width: 42mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	69	4.2	Primed	252	84	42
14.5	94	4.2	Primed	220	55	30
14.5	119	4.2	Primed	180	72	20
14.5	144	4.2	Primed	140	56	16



SAM97

Ogee
Moulded width: 26mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	69	5.49	Primed	252	84	42
14.5	144	5.49	Primed	140	56	16



SAM98

Ogee & Bead
Moulded width: 26mm / Bead width: 14mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	69	5.49	Primed	252	84	42
14.5	94	5.49	Primed	220	55	30



Ordering samples

We understand that it is important for some of your customers to see a physical sample of the product before placing an order. For this reason, we keep all our stock profiles (in at least one size) in the sample store to ensure quick delivery.

You can order samples on the SAM website or by emailing marketing@samonline.co.uk.



Placing an order

Once a trade account has been created for your company, you can order SAM products using a valid purchase order number.

Please send any orders to orders@samonline.co.uk and our internal sales team will process these as quickly as possible.

SAM22
Chamfer & Round
Chamfer width: 32mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	44	4.2	Primed	330	110	50
14.5	69	4.2	Primed	252	84	42
14.5	94	4.2	Primed	220	55	30
14.5	119	4.2	Primed	180	72	20
18	69	4.2	Primed	252	84	42
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16
14.5	69	5.49	Primed	252	84	42
14.5	94	5.49	Primed	220	55	30
14.5	119	5.49	Primed	180	72	20
14.5	144	5.49	Primed	140	56	16
18	69	5.49	Primed	252	84	42
18	94	5.49	Primed	220	55	30
18	119	5.49	Primed	180	36	20
18	144	5.49	Primed	140	28	16
18	169	5.49	Primed	72	36	9

SAM26
Chamfer & Round
Chamfer width: 38mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	5.49	Primed	252	84	42
18	94	5.49	Primed	220	55	30
18	119	5.49	Primed	180	36	20
18	144	5.49	Primed	140	28	16

SAM1959
Chamfer & Round
Moulded width: 23mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	2.1	Fully Finished	280	140	140
18	144	4.2	Fully Finished	140	28	28
18	169	4.2	Fully Finished	72	36	36

SAM5061
Chamfered
Chamfer dimensions (mm): 6 x 6

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	4.2	Primed	252	84	42
18	94	4.2	Primed	220	55	30
18	119	4.2	Primed	180	36	20

SAM5062
Chamfered
Chamfer dimensions (mm): 10 x 10

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	4.2	Primed	252	84	42
18	94	4.2	Primed	220	55	30
18	119	4.2	Primed	180	36	20

SAM5059
Single Groove
Groove dimensions (mm): 5 x 5 (20mm from edge)

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	69	4.2	Primed	252	84	42
18	69	4.2	Primed	252	84	42
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16



SAM5060

Single Groove

Groove dimensions (mm): 15 x 5 (20 mm from edge)

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	4.2	Primed	252	84	42
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16




SAM27

Ovolo

Moulded width: 35mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	57	4.2	Primed	324	108	54
14.5	69	4.2	Primed	252	84	42
14.5	94	4.2	Primed	220	55	30
14.5	119	4.2	Primed	180	72	20
14.5	144	4.2	Primed	140	56	16
18	57	4.2	Primed	324	108	54
18	69	4.2	Primed	252	84	42
18	69	4.2	Fully Finished	252	84	84
18	119	4.2	Primed	180	36	20
18	119	4.2	Fully Finished	180	36	36
18	144	4.2	Fully Finished	140	28	28
18	169	4.2	Fully Finished	72	36	36
14.5	57	5.49	Primed	324	108	54
14.5	94	5.49	Primed	220	55	30
14.5	119	5.49	Primed	180	72	20



SAM20

Bullnose

Radius: 10mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	44	2.1	Primed	330	110	50
14.5	69	4.2	Primed	252	84	42
14.5	94	4.2	Primed	220	55	30




SAM29

Bullnose

Radius: 20mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	44	2.1	Primed	330	110	50
14.5	44	4.2	Primed	330	110	50
14.5	69	4.2	Primed	252	84	42
14.5	94	4.2	Primed	220	55	30
18	69	4.2	Primed	252	84	42
18	119	4.2	Primed	180	36	20



SAM1855

Bullnose

Radius: 17mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	2.1	Fully Finished	280	140	140
18	144	4.2	Fully Finished	140	28	28
18	169	4.2	Fully Finished	72	36	36



SAM4288

Round & V-Groove

Radius: 2mm / V-Groove dimensions (mm): (w)3 x (d)3

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	69	4.2	Primed	252	84	42
14.5	119	4.2	Primed	180	72	20
18	69	4.2	Primed	252	84	42
18	144	4.2	Primed	140	28	16

SAM2975

Chamfer & Single V-Groove
Chamfer dimensions (mm): 5 x 5
V-Groove dimensions (mm): (w)6 x (d)3

SAM2984 is the skirting board

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	94	5.49	Primed	220	55	30
18	69	5.49	Primed	252	84	42

SAM2984

Chamfer & Double V-Groove
Chamfer dimensions (mm): 5 x 5
V-Groove dimensions (mm): (w)6 x (d)3

SAM2975 is the architrave

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	119	5.49	Primed	180	72	20

SAM28

Lambs Tongue
Moulded width: 34mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	4.2	Primed	252	84	42
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16

SAM10

Moulded
Moulded width: 45mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	5.49	Primed	252	84	42
18	94	5.49	Primed	220	55	30
18	119	5.49	Primed	180	36	20
18	144	5.49	Primed	140	28	16

SAM5219

Chamfer Stepped
Moulded width: 50mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
22	69	5.49	Primed	224	56	56
22	144	5.49	Primed	84	28	28

SAM4887

Edwardian
Moulded width: 51.5mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	94	5.49	Primed	220	55	30
18	144	5.49	Primed	140	28	16

SAM3518

Georgian
Moulded width: 48mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	94	4.4	Primed	220	55	30
18	144	4.2	Primed	140	28	16

SAM3525

Victorian
Moulded width: 93.5mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	100	4.2	Primed	200	100	30



SAM3526

Victorian
Moulded with: 110mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	180	4.2	Primed	60	30	30



SAM502

Hockey Stick

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	32	5.49	Primed	396	132	132



SAM2156

Dual Purpose: Torus (SAM09) / Ogee (SAM93)
Moulded width: 32mm / Moulded width: 45mm


THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16
18	169	4.2	Primed	72	36	9
18	219	4.2	Primed	60	20	5
18	244	4.2	Primed	48	20	4



SAM2285

Dual Purpose: Chamfer & Round (SAM22) / Pencil Round (SAM23)
Chamfer width: 32mm / Radius: 6mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16



SAM2574

Dual Purpose: Chamfer & Round (SAM22) / Pencil Round (SAM23)
Chamfer width: 32mm / Radius: 6mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	94	4.2	Primed	220	55	30
14.5	144	4.2	Primed	140	56	16



SAM5378

Dual Purpose: Ovolo (SAM27) / Round & V-Groove (SAM4288)
Moulded width: 35mm / Radius: 2mm & V-Groove dimensions (mm): (w)3 x (d)3

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	119	4.2	Primed	180	36	20



SAM5379

Dual Purpose: Grooved (SAM5059) / Round & V-Groove (SAM4288)
Groove dimensions (mm): 5 x 5 (20mm from edge) / Radius:
2mm & V-Groove dimensions (mm): (w)3 x (d)3

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	94	4.2	Primed	220	55	30
14.5	119	4.2	Primed	180	36	20
14.5	144	4.2	Primed	140	56	16
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16

SAM5381

Dual Purpose: Pencil Round (SAM23) / Ovolo (SAM27)
Radius: 6mm / Moulded width: 35mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	94	4.2	Primed	220	55	30
14.5	119	4.2	Primed	180	36	20

SAM5383

Dual Purpose: Square Edge (SAM04) / Grooved (SAM5059)
Radius: 1.5mm / Groove dimensions (mm): 5 x 5 (20mm from edge)

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16

SAM5439

Dual Purpose: Ogee (SAM93) / Ogee (SAM97)
Moulded width: 44mm / Moulded width: 26mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	94	5.49	Primed	220	55	30
14.5	119	5.49	Primed	180	72	20
14.5	144	5.49	Primed	140	56	16

SAM5440

Dual Purpose: Torus (SAM09) / Chamfer & Round (SAM22)
Moulded width: 32mm / Chamfer width: 32mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	94	4.2	Primed	220	55	30
14.5	119	4.2	Primed	180	36	20
14.5	144	4.2	Primed	140	56	16

SAM5441

Dual Purpose: Ovolo (SAM27) / Bullnose (SAM29)
Moulded width: 35mm / Radius: 20mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	94	4.2	Primed	220	55	30
14.5	119	4.2	Primed	180	36	20
14.5	144	4.2	Primed	140	56	16

SAM5442

Dual Purpose: Chamfer (SAM5061) / Chamfer & Round (SAM22)
Chamfer width: 6mm / Chamfer width: 32mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	94	4.2	Primed	220	55	30
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16

SAM5443

Dual Purpose: Square Edge (SAM04) / Pencil Round (SAM23)
Radius: 1.5mm / Radius: 5mm


THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
12	94	5.49	Primed	264	72	36
14.5	94	4.2	Primed	220	55	30
14.5	119	4.2	Primed	180	36	20
14.5	144	4.2	Primed	140	56	16
18	94	4.2	Primed	220	55	30
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16



Internal Cladding & Panelling

SAM3012
Tongue & Groove
TG&V

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
12	94	0.9	Fully Finished	396	198	198
9	94	2.44	Fully Finished	264	132	132
9	144	2.44	Fully Finished	168	84	84




SAM01
Square Edge

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
12	97	5.49	Primed	264	132	36
14.5	94	5.49	Primed	220	55	30



SAM04
Square Edge
Radius: 1.5mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
12	32	5.49	Primed	640	160	80
12	44	5.49	Primed	330	110	50
12	69	5.49	Primed	252	84	42
12	97	5.49	Primed	264	132	36
14.5	69	5.49	Primed	252	84	42
14.5	94	5.49	Primed	220	55	30



Window Board

SAM50
Window Board
Bullnosed & Rebated

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	194	5.49	Primed	60	20	5
18	219	5.49	Primed	60	20	5
18	244	5.49	Primed	48	20	4




SAM52
Window Board
Bullnosed & Rebated

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
25	194	3.66	Primed	40	10	5
25	219	3.66	Primed	40	10	5
25	244	3.66	Primed	40	8	4
25	269	3.66	Primed	40	8	4
25	294	3.66	Primed	40	8	4
25	194	5.49	Primed	40	20	5
25	219	5.49	Primed	40	10	5
25	244	5.49	Primed	40	12	4
25	269	5.49	Primed	40	12	4
25	294	5.49	Primed	40	12	4



SAM53
Extra Wide Window Board
Bullnosed

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
25	345	3.66	Primed	36	18	9
25	394	3.66	Primed	36	18	9



Door linings & stops

SAM04 (Set)

Square Edge adjustable door lining set
2 legs and adjustable head supplied with door stops to suit
Suitable for all standard door sizes

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
25	108	—	Primed	54	18	5
25	132	—	Primed	48	16	4



SAM04 (Lining)

Square Edge door lining
Radius: 1.5mm


THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
25	94	2.1	Primed	176	44	10
25	155	2.1	Primed	72	24	8



SAM04 (Stop)

Square Edge door stop
Radius: 1.5mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
12	32	5.49	Primed	640	160	80
12	44	5.49	Primed	330	110	110
12	97	5.49	Primed	264	132	36




Decorative Mouldings

SAM3031

Cornice

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	115	5.49	Primed	180	36	36



SAM3770

Cornice

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
12	77	5.49	Primed	216	72	72

SAM MDF mouldings imperial to metric conversion chart

NOMINAL IMPERIAL	SAM FINISHED SIZE METRIC
2 inches	44mm
2¼ inches	57mm
3 inches	69mm
4 inches	94mm
5 inches	119mm
6 inches	144mm
7 inches	169mm
8 inches	194mm
9 inches	219mm
10 inches	244mm
11 inches	269mm
12 inches	294mm

SAM[®]

HOME OF MDF MOULDINGS

Scan the QR code
to view digital copies
of our brochures



T: +44 (0)28 9442 8288
SAMMOULDINGS.CO.UK