



SAM[®]
HOME OF MDF MOULDINGS

STOCK LISTING

Over 300 profiles available
ISSUE 3

Fast track delivery –
over 300 profiles always available.


SAM has created an extensive stock range based on customer needs and our knowledge of the market.

When you order SAM Stock products, you can be confident they will always be available and will be delivered to you quickly.

We understand time is of the essence, which is why we have included our full stock range in this listing. For our extended range of products please see the main catalogue (QR code on back page).



Skirting & Architrave



Skirting & Architrave

SAM23

Pencil Round One Edge

Radius: 6mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	44	2.1	Primed	440	110	50
14.5	44	4.2	Primed	330	110	50
14.5	44	4.2	Fully Finished	352	88	88
14.5	69	4.2	Primed	252	84	42
14.5	94	4.2	Primed	220	55	30
14.5	94	4.2	Fully Finished	220	55	55
14.5	119	4.2	Primed	180	36	20
18	44	4.2	Primed	330	110	50
18	69	4.2	Primed	252	84	42
18	94	4.2	Primed	220	55	30
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16
12	44	5.49	Primed	330	110	50
12	94	5.49	Primed	264	132	36
14.5	44	5.49	Primed	330	110	50
14.5	57	5.49	Primed	324	108	54
14.5	69	5.49	Primed	252	84	42
14.5	94	5.49	Primed	220	55	30
14.5	119	5.49	Primed	180	72	20
14.5	144	5.49	Primed	140	56	16
18	44	5.49	Primed	330	110	50
18	57	5.49	Primed	324	108	54
18	69	5.49	Primed	252	84	42
18	94	5.49	Primed	220	55	30
18	119	5.49	Primed	180	36	20
18	144	5.49	Primed	140	28	16



SAM24

Pencil Round Two Edge

Radius: 6mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	44	4.2	Primed	330	110	50
14.5	69	4.2	Primed	252	84	42
12	44	5.49	Primed	330	110	50
12	69	5.49	Primed	252	84	42
14.5	69	5.49	Primed	252	84	42
18	57	5.49	Primed	324	108	54

SAM01
Square Edge


THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	94	4.2	Primed	220	55	30
14.5	119	4.2	Primed	180	72	20
12	97	5.49	Primed	264	132	36
14.5	94	5.49	Primed	220	55	30
14.5	100	5.49	Primed	200	100	30
14.5	119	5.49	Primed	180	72	20
14.5	144	5.49	Primed	140	56	16
18	44	5.49	Primed	330	110	50
18	69	5.49	Primed	252	84	42
18	94	5.49	Primed	220	55	30
18	100	5.49	Primed	200	100	30
18	119	5.49	Primed	180	36	20
18	144	5.49	Primed	140	28	16

SAM04
Square Edge
Radius: 1.5mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	2.1	Primed	280	140	42
18	94	2.4	Primed	220	55	55
14.5	44	4.2	Primed	330	110	50
14.5	69	4.2	Primed	252	84	42
18	44	4.2	Primed	330	110	50
18	69	4.2	Primed	252	84	42
18	94	4.2	Primed	220	55	30
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16
12	32	5.49	Primed	640	160	80
12	44	5.49	Primed	330	110	50
12	69	5.49	Primed	252	84	42
12	97	5.49	Primed	264	132	36
14.5	69	5.49	Primed	252	84	42
14.5	94	5.49	Primed	220	55	30
14.5	144	5.49	Primed	140	56	16
18	44	5.49	Primed	330	110	50
18	69	5.49	Primed	252	84	42



Profiles pictured: SAM04 Square Edge



SAM09

Torus
Moulded width: 32mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	2.1	Primed	280	140	42
14.5	69	4.2	Primed	252	84	42
14.5	94	4.2	Primed	220	55	30
18	57	4.2	Primed	324	108	54
18	69	4.2	Primed	252	84	42
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16
18	169	4.2	Primed	72	36	9
14.5	57	5.49	Primed	324	108	54
14.5	69	5.49	Primed	252	84	42
14.5	94	5.49	Primed	220	55	30
14.5	119	5.49	Primed	180	72	20
14.5	194	5.49	Primed	60	30	5
18	69	5.49	Primed	252	84	42
18	119	5.49	Primed	180	36	20
18	144	5.49	Primed	140	28	16



SAM3166

Torus
Moulded width: 33mm


THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	2.1	Fully Finished	280	140	140
18	119	4.2	Fully Finished	180	36	36
18	144	4.2	Fully Finished	140	28	28
18	169	4.2	Fully Finished	72	36	36



SAM1440

Torus
Radius: 34mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	4.2	White Oak Veneer	252	84	42
18	119	4.2	White Oak Veneer	180	36	55



Profiles pictured: SAM09 Torus

SAM93

Ogee
Moulded width: 45mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	2.1	Primed	280	140	42
18	57	4.2	Primed	324	108	54
18	69	4.2	Primed	252	84	42
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16
18	169	4.2	Primed	72	36	9
14.5	69	5.49	Primed	252	84	42
14.5	94	5.49	Primed	220	55	30
14.5	144	5.49	Primed	140	56	16
18	69	5.49	Primed	252	84	42
18	94	5.49	Primed	220	55	30
18	119	5.49	Primed	180	36	20
18	144	5.49	Primed	140	28	16
18	169	5.49	Primed	72	36	9

SAM90

Ogee
Moulded width: 37mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	2.1	Fully Finished	280	140	140
18	144	4.2	Fully Finished	140	28	28
18	169	4.2	Fully Finished	72	36	36

SAM15

Ogee
Moulded width: 42mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	69	4.2	Primed	252	84	42
14.5	94	4.2	Primed	220	55	30
14.5	119	4.2	Primed	180	72	20
14.5	144	4.2	Primed	140	56	16

SAM97

Ogee
Moulded width: 26mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	69	5.49	Primed	252	84	42
14.5	144	5.49	Primed	140	56	16

SAM98

Ogee & Bead
Moulded width: 26mm / Bead width: 14mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	69	5.49	Primed	252	84	42
14.5	94	5.49	Primed	220	55	30

SAM1441

Ogee
Moulded width: 46mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	4.2	White Oak Veneer	252	84	42
18	119	4.2	White Oak Veneer	180	36	20



SAM22

Chamfer & Round

Chamfer width: 32mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	44	4.2	Primed	330	110	50
14.5	69	4.2	Primed	252	84	42
14.5	94	4.2	Primed	220	55	30
14.5	119	4.2	Primed	180	72	20
18	69	4.2	Primed	252	84	42
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16
14.5	69	5.49	Primed	252	84	42
14.5	94	5.49	Primed	220	55	30
14.5	119	5.49	Primed	180	72	20
14.5	144	5.49	Primed	140	56	16
18	69	5.49	Primed	252	84	42
18	94	5.49	Primed	220	55	30
18	119	5.49	Primed	180	36	20
18	144	5.49	Primed	140	28	16
18	169	5.49	Primed	72	36	9



SAM26

Chamfer & Round

Chamfer width: 38mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	5.49	Primed	252	84	42
18	94	5.49	Primed	220	55	30
18	119	5.49	Primed	180	36	20
18	144	5.49	Primed	140	28	16



SAM1959

Chamfer & Round

Moulded width: 23mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	2.1	Fully Finished	280	140	140
18	144	4.2	Fully Finished	140	28	28
18	169	4.2	Fully Finished	72	36	36



SAM5061

Chamfered

Chamfer dimensions (mm): 6 x 6

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	4.2	Primed	252	84	42
18	94	4.2	Primed	220	55	30
18	119	4.2	Primed	180	36	20



SAM5062

Chamfered

Chamfer dimensions (mm): 10 x 10

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	4.2	Primed	252	84	42
18	94	4.2	Primed	220	55	30
18	119	4.2	Primed	180	36	20



SAM5059

Single Groove

Groove dimensions (mm): 5 x 5 (20mm from edge)

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	69	4.2	Primed	252	84	42
18	69	4.2	Primed	252	84	42
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16

SAM5060

Single Groove

Groove dimensions (mm): 15 x 5 (20 mm from edge)

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	4.2	Primed	252	84	42
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16

SAM27

Ovolo

Moulded width: 35mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	57	4.2	Primed	324	108	54
14.5	69	4.2	Primed	252	84	42
14.5	94	4.2	Primed	220	55	30
14.5	119	4.2	Primed	180	72	20
14.5	144	4.2	Primed	140	56	16
18	57	4.2	Primed	324	108	54
18	69	4.2	Primed	252	84	42
18	69	4.2	Fully Finished	252	84	84
18	119	4.2	Primed	180	36	20
18	119	4.2	Fully Finished	180	36	36
18	144	4.2	Fully Finished	140	28	28
18	169	4.2	Fully Finished	72	36	36
14.5	57	5.49	Primed	324	108	54
14.5	94	5.49	Primed	220	55	30
14.5	119	5.49	Primed	180	72	20

SAM20

Bullnose

Radius: 10mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	44	2.1	Primed	330	110	50
14.5	69	4.2	Primed	252	84	42
14.5	94	4.2	Primed	220	55	30

SAM29

Bullnose

Radius: 20mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	44	2.1	Primed	330	110	50
14.5	44	4.2	Primed	330	110	50
14.5	69	4.2	Primed	252	84	42
14.5	94	4.2	Primed	220	55	30
18	69	4.2	Primed	252	84	42
18	119	4.2	Primed	180	36	20

SAM1855

Bullnose

Radius: 17mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	2.1	Fully Finished	280	140	140
18	144	4.2	Fully Finished	140	28	28
18	169	4.2	Fully Finished	72	36	36

SAM4288

Round & V-Groove

Radius: 2mm / V-Groove dimensions (mm): (w)3 x (d)3

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	69	4.2	Primed	252	84	42
14.5	119	4.2	Primed	180	72	20
18	69	4.2	Primed	252	84	42
18	144	4.2	Primed	140	28	16



SAM2975

Chamfer & Single V-Groove
Chamfer dimensions (mm): 5 x 5
V-Groove dimensions (mm): (w)6 x (d)3

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	94	5.49	Primed	220	55	30
18	69	5.49	Primed	252	84	42



SAM2984

Chamfer & Double V-Groove
Chamfer dimensions (mm): 5 x 5
V-Groove dimensions (mm): (w)6 x (d)3

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	119	5.49	Primed	180	72	20



SAM28

Lambs Tongue
Moulded width: 34mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	4.2	Primed	252	84	42
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16



SAM10

Moulded
Moulded width: 45mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	69	5.49	Primed	252	84	42
18	94	5.49	Primed	220	55	30
18	119	5.49	Primed	180	36	20
18	144	5.49	Primed	140	28	16



SAM5219

Chamfer Stepped
Moulded width: 50mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
22	69	5.49	Primed	224	56	56
22	144	5.49	Primed	84	28	28



SAM4887

Edwardian
Moulded width: 51.5mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	94	5.49	Primed	220	55	30
18	144	5.49	Primed	140	28	16



SAM3518

Georgian
Moulded width: 48mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	94	4.4	Primed	220	55	30
18	144	4.2	Primed	140	28	16



SAM3525

Victorian
Moulded width: 93.5mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	100	4.2	Primed	200	100	30



SAM3526

Victorian
Moulded with: 110mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	180	4.2	Primed	60	30	30



SAM5650

Classic
Moulded width: 85mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	144	5.49	Primed	140	28	16
18	194	5.49	Primed	60	20	5



SAM5651

Classic
Moulded width: 70mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	94	5.49	Primed	220	55	30
18	119	5.49	Primed	180	36	20

Profiles pictured: SAM502 Hockey Stick, SAM27 Ovolo



Hockey Stick

Decorative architrave trim

SAM1151

Hockey Stick


THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
30	30	5.1	Primed	448	112	112



SAM502

Hockey Stick

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	32	5.49	Primed	396	132	132



Dual Purpose Skirting

Architrave options are shown previously

SAM2156

Dual Purpose: Torus (SAM09) / Ogee (SAM93)
Moulded width: 32mm / Moulded width: 45mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16
18	169	4.2	Primed	72	36	9
18	219	4.2	Primed	60	20	5
18	244	4.2	Primed	48	20	4

SAM2285

Dual Purpose: Chamfer & Round (SAM22) / Pencil Round (SAM23)
Chamfer width: 32mm / Radius: 6mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16

SAM2574

Dual Purpose: Chamfer & Round (SAM22) / Pencil Round (SAM23)
Chamfer width: 32mm / Radius: 6mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	94	4.2	Primed	220	55	30
14.5	144	4.2	Primed	140	56	16

SAM5378

Dual Purpose: Ovolo (SAM27) / Round & V-Groove (SAM4288)
Moulded width: 35mm / Radius: 2mm & V-Groove dimensions (mm): (w)3 x (d)3

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	119	4.2	Primed	180	36	20

SAM5379

Dual Purpose: Grooved (SAM5059) / Round & V-Groove (SAM4288)
Groove dimensions (mm): 5 x 5 (20mm from edge) / Radius: 2mm & V-Groove dimensions (mm): (w)3 x (d)3

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	94	4.2	Primed	220	55	30
14.5	119	4.2	Primed	180	36	20
14.5	144	4.2	Primed	140	56	16
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16

SAM5381


Dual Purpose: Pencil Round (SAM23) / Ovolo (SAM27)
Radius: 6mm / Moulded width: 35mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	94	4.2	Primed	220	55	30
14.5	119	4.2	Primed	180	36	20



SAM5383
Dual Purpose: Square Edge (SAM04) / Grooved (SAM5059)
Radius: 1.5mm / Groove dimensions (mm): 5 x 5 (20mm from edge)

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16



SAM5439
Dual Purpose: Ogee (SAM93) / Ogee (SAM97)
Moulded width: 44mm / Moulded width: 26mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	94	5.49	Primed	220	55	30
14.5	119	5.49	Primed	180	72	20
14.5	144	5.49	Primed	140	56	16



SAM5440
Dual Purpose: Torus (SAM09) / Chamfer & Round (SAM22)
Moulded width: 32mm / Chamfer width: 32mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	94	4.2	Primed	220	55	30
14.5	119	4.2	Primed	180	36	20
14.5	144	4.2	Primed	140	56	16



SAM5441
Dual Purpose: Ovolo (SAM27) / Bullnose (SAM29)
Moulded width: 35mm / Radius: 20mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	94	4.2	Primed	220	55	30
14.5	119	4.2	Primed	180	36	20
14.5	144	4.2	Primed	140	56	16



SAM5442
Dual Purpose: Chamfer (SAM5061) / Chamfer & Round (SAM22)
Chamfer width: 6mm / Chamfer width: 32mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	94	4.2	Primed	220	55	30
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16



SAM5382
Dual Purpose: Round and V Groove (SAM4288) / Chamfer & Round (SAM22)
Radius: 2mm, V-Groove 3x3mm / Chamfer width: 32mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
14.5	94	4.2	Primed	220	55	30



SAM5443
Dual Purpose: Square Edge (SAM04) / Pencil Round (SAM23)
Radius: 1.5mm / Radius: 5mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
12	94	5.49	Primed	264	72	36
14.5	94	4.2	Primed	220	55	30
14.5	119	4.2	Primed	180	36	20
14.5	144	4.2	Primed	140	56	16
18	94	4.2	Primed	220	55	30
18	119	4.2	Primed	180	36	20
18	144	4.2	Primed	140	28	16



Profiles pictured: SAM5651 Classic, SAM37 Dado Rail, SAM3770 Cornice

Decorative Mouldings

SAM3031

Cornice

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	115	5.49	Primed	180	36	36

SAM3770

Cornice

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
12	77	5.49	Primed	264	44	44

SAM37

Dado Rail

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	44	4.2	Primed	330	110	110

SAM85

Dado Rail

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	57	2.4	Primed	324	108	108

SAM4152

Picture Rail

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	44	2.4	Primed	330	110	110

Plinth Blocks

SK01C

Chamfered Plinth Block
3 x 3mm chamfer

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
25	125	0.104	Primed
25	175	0.104	Primed

AR01C

Chamfered Architrave Block

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
25	104	0.104	Primed



Wall Panelling

SAM3012

Tongue & Groove
TG & V

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
9	94	2.4	Primed	264	44	44
12	94	0.9	Fully Finished	396	198	198
9	94	2.44	Fully Finished	264	132	132
9	144	2.44	Fully Finished	168	84	84

SAM01

Square Edge

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
12	97	5.49	Primed	264	132	36
14.5	94	5.49	Primed	220	55	30

SAM04

Square Edge
Radius: 1.5mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
12	32	5.49	Primed	640	160	80
12	44	5.49	Primed	330	110	50
12	69	5.49	Primed	252	84	42
12	97	5.49	Primed	264	132	36
14.5	69	5.49	Primed	252	84	42
14.5	94	5.49	Primed	220	55	30



SAM5561

Grooved

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
9	607	2.44	Primed



SAM5562

Mink Chestnut

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
10	595	2.44	Woodgrain Effect



SAM5563

Natural Gold

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
10	595	2.44	Woodgrain Effect



SAM5564

Chocolate Oak

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
10	595	2.44	Woodgrain Effect



SAM5565

Charcoal Chestnut

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
10	595	2.44	Woodgrain Effect



Profiles pictured: SAM53 Window Board, SAM5650 Classic

Window Board

SAM50

Window Board
Bullnosed & Rebated

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
18	194	5.49	Primed	60	20	5
18	219	5.49	Primed	60	20	5
18	244	5.49	Primed	48	20	4

SAM52

Window Board
Bullnosed & Rebated

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
25	194	3.66	Primed	40	10	5
25	219	3.66	Primed	40	10	5
25	244	3.66	Primed	40	8	4
25	269	3.66	Primed	40	8	4
25	294	3.66	Primed	40	8	4
25	194	5.49	Primed	40	20	5
25	219	5.49	Primed	40	10	5
25	244	5.49	Primed	40	12	4
25	269	5.49	Primed	40	12	4
25	294	5.49	Primed	40	12	4

SAM53

Extra Wide Window Board
Bullnosed

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
25	345	3.66	Primed	36	18	9
25	394	3.66	Primed	36	18	9

Door Linings & Stops

SAM04 (Set)

Square Edge adjustable door lining set
2 legs and adjustable head supplied with door stops to suit
Suitable for all standard door sizes

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
25	108	—	Primed	54	18	5
25	132	—	Primed	48	16	4

SAM04 (Lining)

Square Edge door lining
Radius: 1.5mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
25	94	2.1	Primed	176	44	10
25	155	2.1	Primed	72	24	8

SAM04 (Stop)

Square Edge door stop
Radius: 1.5mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	FULL PACK	TRADE PACK	MIXED LAYER PACK
12	32	5.49	Primed	640	160	80
12	44	5.49	Primed	330	110	110
12	97	5.49	Primed	264	132	36



SAM Trimax External Cladding, Fascia and Soffit

External Cladding



External Cladding

Manufactured using MEDITE TRICOYA EXTREME

SAM4460

Tongue & Groove (TG&V)
Brushed Texture

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	COLOUR	RAL NUMBER
12	294	4.88	Primed	Silk Grey	RAL7044
12	294	4.88	Fully Finished	Silk Grey	RAL7044
12	294	4.88	Fully Finished	Traffic White	RAL9016
12	294	4.88	Fully Finished	Anthracite Grey	RAL7016

SAM5557

Tongue & Groove (TG&V)
Brushed Texture

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	COLOUR	RAL NUMBER
12	244	4.88	Primed	Silk Grey	RAL7044
12	244	4.88	Fully Finished	Silk Grey	RAL7044
12	244	4.88	Fully Finished	Traffic White	RAL9016
12	244	4.88	Fully Finished	Anthracite Grey	RAL7016

SAM5558

Tongue & Groove (TG&V)
Brushed Texture

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	COLOUR	RAL NUMBER
12	194	4.88	Primed	Silk Grey	RAL7044
12	194	4.88	Fully Finished	Silk Grey	RAL7044
12	194	4.88	Fully Finished	Traffic White	RAL9016
12	194	4.88	Fully Finished	Anthracite Grey	RAL7016



SAM3717
Double Shiplap
Brushed Texture

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	COLOUR	RAL NUMBER
12	294	4.88	Primed	Silk Grey	RAL7044
12	294	4.88	Fully Finished	Silk Grey	RAL7044
12	294	4.88	Fully Finished	Traffic White	RAL9016
12	294	4.88	Fully Finished	Anthracite Grey	RAL7016



SAM5555
Double Shiplap
Brushed Texture

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	COLOUR	RAL NUMBER
12	244	4.88	Primed	Silk Grey	RAL7044
12	244	4.88	Fully Finished	Silk Grey	RAL7044
12	244	4.88	Fully Finished	Traffic White	RAL9016
12	244	4.88	Fully Finished	Anthracite Grey	RAL7016



SAM5556
Double Shiplap
Brushed Texture

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	COLOUR	RAL NUMBER
12	194	4.88	Primed	Silk Grey	RAL7044
12	194	4.88	Fully Finished	Silk Grey	RAL7044
12	194	4.88	Fully Finished	Traffic White	RAL9016
12	194	4.88	Fully Finished	Anthracite Grey	RAL7016



Fascia & Soffit Manufactured using MEDITE TRICOYA EXTREME

SAM5293
Fascia
Smooth Texture

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	COLOUR	RAL NUMBER
15	175	4.88	Fully Finished	Traffic White	RAL9016
15	225	4.88	Fully Finished	Traffic White	RAL9016



SAM5348
Soffit
Smooth Texture

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH	COLOUR	RAL NUMBER
12	150	4.88	Fully Finished	Traffic White	RAL9016
12	225	4.88	Fully Finished	Traffic White	RAL9016



SAM MDF mouldings imperial to metric conversion chart

NOMINAL IMPERIAL	SAM FINISHED SIZE METRIC
2 inches	44mm
2 1/4 inches	57mm
3 inches	69mm
4 inches	94mm
5 inches	119mm
6 inches	144mm
7 inches	169mm
8 inches	194mm
9 inches	219mm
10 inches	244mm
11 inches	269mm
12 inches	294mm



Ordering samples

We understand that it is important for some of your customers to see a physical sample of the product before placing an order. For this reason, we keep all our stock profiles (in at least one size) in the sample store to ensure quick delivery.

You can order samples on the SAM website or by emailing marketing@sammouldings.co.uk.



Placing an order

Once a trade account has been created for your company, you can order SAM products using a valid purchase order number.

Please send any orders to orders@sammouldings.co.uk and our internal sales team will process these as quickly as possible.

SAM[®]

HOME OF MDF MOULDINGS

Scan the QR code
to view digital copies
of our brochures



T: +44 (0)28 9442 8288

E: TEAM@SAMMOULDINGS.CO.UK

W: SAMMOULDINGS.CO.UK